



Product Data Sheet

Lindy Active HDMI 18G Cable

Description



Lindy's Active HDMI 2.0 18G cables combine sleek, modern design with superior performance to provide high quality, reliable HDMI transmission over long distances. Lindy's range of active cables come with an in-built chipset that amplifies the user's signal to create a much longer HDMI transmission that isn't possible with standard passive HDMI cables, while also avoiding the need for additional expensive extenders or repeaters. With the active chipset built discreetly into the stylishly designed headshell, these cables can easily be installed through conduit or tighter spaces. These premium cables also support the full 18G HDMI bandwidth to display 4096x2160@60Hz resolutions with additional support for the REC.2020 colour space that covers the wider colour gamut required for high-dynamic range content, for enhanced contrast and more lifelike colour.

Complying to the HDMI 2.0 cable specification, these cables are ideal for use with a variety of source devices including set-top boxes, HDMI media players or PCs when connected to modern displays or projectors. Perfect for use in eye-catching retail displays, informational digital signage or immersive video playback in sports bars, music venues or high end home cinemas.

With support for a range of multi-channel audio formats, including Dolby® True HD and DTS-HD Master Audio, these cables also ensure an impressive three-dimensional surround sound performance when connected to an amplifier's speaker system. CEC functionality also allows many of the source device's settings to be controlled via the display or projectors controls to provide a simple and effective control solution, while avoiding the necessity for several remote controls.

Lindy's active cables should be connected in accordance with the instructions for the optimum experience. The connector marked "display" must be connected to the monitor or screen. Failure to connect the cable in the correct manner will result in no signal. Some projectors have recessed HDMI sockets, please ensure they can accommodate the connector used on this cable.

Active HDMI cables cannot be connected together or 'daisy chained'.

Product	SKU
LINDY ACTIVE HDMI 18G CABLE	LIN-41071



Product Data Sheet

Lindy Active HDMI 18G Cable

Key Benefits

- Creates a long distance HDMI connection between a 4K source device and display
- Delivers reliable 4K@60Hz resolutions over longer cable distances
- Active HDMI technology built into the connector for flexible installation
- Full support for HEC, ARC and CEC compliant devices
- 2 Year warranty

Technical Specification

Lindy Active HDMI 18G Cable Specification

Connectors	Conductor Material: Bare Copper
Connector A: HDMI Type A Male	Conductor Gauge: 28AWG
Connector B: HDMI Type A Male	Shielding: Aluminium Foil Mylar, 100% / Aluminium Alloy Braiding, 70%
Housing Material: ABS	Specifications
Connector Plating: 24K Gold Flash	Supported Bandwidth: 18Gbps
Pin Construction: Phosphor Bronze	Maximum Resolution: 4096x2160@60Hz 4:4:4 8bit
Pin Plating: 24K Gold 3um	Nominal Attenuation: 300KHz-825MHz 5dB, 2.475GHz-4.125GHz 12dB~20dB
Dimensions WxDxH (approx.): 21.68x43x13.22mm (0.85x1.69x0.52in)	Minimum Bend Radius: 100mm (3.94in)
Cable Construction	Operating Temperature: -20°C - 80°C (-4°F - 176°F)
Length: 10m (32.81ft)	Storage Temperature: -10°C - 60°C (14°F - 140°F)
Standard: HDMI 2.0	Miscellaneous
Colour: Black	Packaging Type: Polybag
Type: Round	Warranty (Years): 2 Years
Jacket Diameter: 8.6mm (0.34in)	Certified: CE, UKCA, FCC, RoHS, REACH & UL
Jacket Material: PVC	