



# Product Data Sheet

## Lindy 7 Port USB 2.0 Metal Hub

### Description



The Lindy 7 Port USB 2.0 Metal Hub has been designed to provide reliable performance in demanding operating environments.

This industrial-grade hub features a rugged, all-metal chassis providing excellent EMC protection. With robust metal housing and integrated mounting brackets this Hub is the ideal solution for industrial environments.

Each USB port port features individual short circuit protection. The included power supply ensures secure and uninterrupted electricity supplies.

Product	SKU
LINDY 7 PORT USB 2.0 METAL HUB	LIN-42794

### Key Benefits

- Provides 7 USB 2.0 High Speed ports with data rates up to 480Mbps
- Hard-wearing USB Hub - Perfect for industrial applications
- Robust metal housing with high EMC protection and integrated brackets for mounting
- USB bus-powered, or can be externally powered
- 2 years warranty



# Product Data Sheet

Lindy 7 Port USB 2.0 Metal Hub

## Technical Specification

### Lindy 7 Port USB 2.0 Metal Hub Specification

<b>Specifications</b>	<b>Operating Temperature:</b> 0°C - 50°C (32°F -122°F)
<b>USB Standard:</b> USB 2.0	<b>Storage Temperature:</b> -20°C - 60°C (-4°F -140°F)
<b>Supported Bandwidth:</b> 480Mbps	<b>Humidity:</b> 0 - 90% RH (non-condensing)
<b>Chipset:</b> FE 2.1	<b>Power Requirements:</b> 5VDC 3.5A
<b>Compatibility:</b> USB Type A equipped computers	<b>Colour:</b> Black
<b>Power Delivery:</b> -	<b>Miscellaneous</b>
<b>Special Features:</b> Integrated brackets for mounting	<b>Packaging Type:</b> Carton Box
<b>Connectors</b>	<b>Packaging Type:</b> Carton Box
<b>Input:</b> 1 x USB Type B (Female)	<b>Gross Weight:</b> 0.648kg (1.43lb)
<b>Output:</b> 7 x USB Type A (Female)	<b>Warranty (Years):</b> 2
<b>Power:</b> 5.5/2.1mm DC socket	<b>Certified:</b> CE, UKCA, FCC, RoHS, REACH & California Proposition 65
<b>Physical Properties</b>	<b>Package Contents</b>
<b>Dimensions WxDxH:</b> 165x48x24mm (6.5x1.89x0.94in)	7 Port USB 2.0 Metal Hub
<b>(Fixed) Cable Length:</b> -	1.8m USB 2.0 Type A to B Cable
<b>Housing Material:</b> Metal	Multi-Country Power Supply (EU, UK, US & AU)
<b>Net Weight:</b> 0.251kg (0.55lb)	



# Product Data Sheet

Lindy 140m 4 Port USB 2.0 Cat.6 Extender

## Technical Specification

### Lindy 140m 4 Port USB 2.0 Cat.6 Extender Specification

Miscellaneous	Package Contents
<b>Packaging Type:</b> Carton Box	Transmitter unit
<b>Packaging Dimensions:</b> 240x150x55mm (9.45x5.91x2.17in)	Receiver unit
<b>Gross Weight:</b> 0.6kg (1.32lb)	1.5m USB 2.0 A Male to B Male cable
<b>Warranty (Years):</b> 2	8x Assembly Screws & Dowels
<b>Certified:</b> CE, UKCA, FCC, RoHS & REACH, CP65	Multi-Country Power Supply (EU, UK, US & AUS)
	Lindy Manual